







Radmedix 2510 Lance Drive, Kettering, OH 45409 USA 2021 Radmedix Inc. All rights reserved.



Distributed By: Georgia X-Ray 11 Public Square Bowman, GA. 30624 www.xrayofga.com / PH: 678-685-8866



DRe SERIES PANELS

ECONOMICAL WITH HIGH PERFORMANCE



Acuity 1717 Tethered 2 Acuity 1717 Wireless
Acuity 1417 Wireless
Charging Dock 5 PCP (Portable Console Tablet PC) 6 Protective Case




Acuity DRe detectors are the newest generation of DR retrofit solutions designed with the essential conveniences of Radmedix image acquisition and design. Retain the unparalleled image quality you've come to expect from our G3 Acuity DR panels at a more price e cient cost, without a compromise in our proven quality.

Light, portable, a ordable detectors can optimize any x-ray room for table and free positioning and table top exams with top-of-the-line image quality. There's also no need to re-work your existing equipment because Acuity DRe fits existing standard Buckys and holders.

Upgrade Now! Experience our high performing Acuity DRe panels and increase your productivity and diagnostic confidence today.

Acuity DRe Economical Panels **Produce Highly Detailed Images**



Acuity DRe panels have proven to deliver highly detailed images with clarity and depth for better patient diagnosis and improved workflow. DRe image quality is equivelant to our powerful, feature packed G3 Acuity DR panels. Meets any clinical demands.

DRe Key Features

Acuity DRe panels use a direct deposited Cesium Iodide (Csi) technology for a full display of 16 bits expression,

- 140um pixel pitch with a wide 16-bit dynamic range
- Integrated lithium ion battery technology with an increased 10hr capacity
- Exceptional imaging quality using direct deposited Csi
- · Patient dose reduction with reliable and accurate Automatic Exposure Detection (AED)
- Integrated handgrips and lightweight construction for effortless handling
- Supports dual band wi-fi connectivity (2.4gHz/5gHz)

Faster Image Display for Increased Productivity

Fast image preview and display time of Acuity DRe panels allow for more e ective and e cient operation leading to increased productivity. Image preview in both wired and wireless modes are achieved less than 2 seconds and a full image is acquired in 4.5 and 6 seconds respectively.

Superior Image Processing Solution for Accurately Tuned Images

AccuVue software platforms provide perfectly tuned images with anatomy specific processing algorithms. AccuVue software provides a perfect solution to increase diagnostic accuracy while reducing x-ray dose and reducing repeat exams. AccuVue's powerful image processing engine o ers the user a convenient user interface to display various anatomical "looks" from a single exposure to o er the most out of a diagnostic imaging solution.


DRe Charging Dock

Acuity DRe 1417 and 1717 wireless systems include a charging dock station between exams to keep the detector at maximum power in the most demanding clinical environments eliminating the hassle of charging and changing batteries.



Wide Dynamic Range with full 16-bit ADC conversion

providing high contrast detailed images for ultimate diagnostic confidence.







*with optimal Wifi connection



Benefits of dock

- ✓ O ers a dual purpose, safe stowage location for the technologist
- ✓ Allows for wall mounting or stood on counter top
- Rapid and reliable battery "trickle charging"
- ✓ O ers longer battery performance throughout a clinical day
- ✓ Supports both 14x17 and 17x17 wireless models

Acuity DRe Ultimate Versatility

Medical, Mobile, Chiropractic, Veterinary





Tethered & Wireless | IPX-5 Rating Medical, Chiropractic, & Veterinary Systems

- Perfect for low dose exams and dose-lowering initiatives
- + Cassette size fits in standard Bucky's and holders
- Maximized field of view, perfect for no-rotation medical, vet, chiro exams
- Smooth sealed sur out moisture (IPXwireless model)
- Integrated hand graded carrying and posit wireless model



Economical DR Panels Acuity DRe



Cassette size for seamless retrofit



Stable and reliable Automatic Exposure Detection



10hr Integrated Battery Standby Time

IPX-5 Rating

Acuity DRe 1417

Wireless | IPX-5 Rating

- General & Mobile Radiography, Vet Portable
- Perfect for low dose exams and dose-lowering initiatives
- + Cassette size fits in standard Bucky's and holders
- Integrated hand grip for easy carrying and positioning wireless model
- Smooth sealed surfaces lock out moisture (IPX-5 rating wireless model)
- Extended battery life up to 10 hrs standby time.

	ACUITYDRE		
rfaces lock			
-5 rating			
orating			_
tin for coord			
rip for easy			
tioning -			
Jennig			
		V	A BAT A



Innovative Technologies for Limitless Portability

Increased Standby Battery Power

Acuity DRe battery performance o ers an integrated lithium ion battery with up to 10 hrs of standby time. This allows the technologist to confidentiality perform exams in the most demanding clinical environments without the burden of changing a battery.

	7	



Integrated DR Hand Grip

Acuity DRe panels have two grips on the body for easy carrying and positioning - wireless model. One grip is to lift the panel up, and the other is for in general holding.

Protection Cases

Acuity DRe panels are available with both gridded and non-gridded protection cases to provide ultimate panel security for any wireless panel size. Cases come equipped with an ergonomical handle as well as lock-and-secure latch to keep the detector secure during handling.





PCP (Portable Console PC)

This unmatched portable digital upgrade is possible when any wireless DR detector is packaged with our PCP solution. Utilizing our powerful and lightweight Surface Pro, the PCP o ers a truly versatile touchscreen tablet interface weighing under 2lbs. without sacrificing any operating system functions. The PCP's encased wireless access point o ers fast wireless communications, allowing for truly mobile imaging.

Acuity DRe with Water Proof [IPX5]

ACUITYORE

Acuity DRe wireless panels have the water resistance [IPX5] feature which provides more protection against liquid than our G3 Acuity DR panels. In addition to providing protection from blood, sudden rain or other contaiminants, it also protects against sustained water streams.

Reliable performance in any environment makes it the perfect portable solution for x-ray imaging.



Acuity DRe 1717

Specifications

Model	17 x 17 Tethered
Detector Type	Direct Deposition Csl
Weight	8.8 lbs w/o cable and control box
Active Area	427mm x 427mm
Pixel Pitch	140 um
Resolution	3.4 1p/mm
A/D Conversion	16-bit
X-Ray I∥F	Automatic Exposure Detection



Acuity	DRe	1417
Specifications		

Model

mouch	
Detector Type	Direct
Weight	7.7 lbs
Active Area	345.61
Pixel Pitch	148 ur
Resolution	3.4 1 p/
A//D Conversion	16-bit
Battery Capacitor	10 hrs
X-Ray I∥F	Autom

14 x 17 Wireless Deposition Csl s 6mm x 420mm Im o/ mm s @ 90sec cycles matic Exposure Detection

9 radmedix.com | Acuity DRe



Model 17 x 17 Wireless Detector Type Direct Deposition Csl Weight 10.11bs 427mm x 427mm Active Area Pixel Pitch 140 um Resolution 3.4 1p/mm A//D Conversion 16-bit **Battery Capacitor** 9~10hrs X-Ray I/F Automatic Exposure Detection